




MATRIX PENDANT



M³ INSPIRATION

MODERN. MAGNETIC. MODULAR.



MAGNETIC CONFIGURATION

CUSTOMIZABLE FIXTURES

HIGH STRENGTH-
TO-WEIGHT RATIO

MODULAR ASSEMBLY

SLEEK & TIMELESS
FORM FACTORS

DIMMING OPTIONS
(EXCLUDING TITAN SERIES)

EASY INSTALLATION

LIGHTWEIGHT


EXQUISITE FINISHES

3-YEAR WARRANTY

DURABLE COMPONENTS

HIGH VERSATILITY

LOW MAINTENANCE



M³ INSPIRATION LUXURY SERIES CUSTOM LIGHTING MADE EASY


The M³ INSPIRATION Series was designed to solve the challenge of finding a sophisticated and timeless fixture that can be customized exactly how you need it. Its magnetic and modular framework allows for easy installation and adaptation to create your one-of-a-kind look.

This series is split into three product lines based on style. Each of the Luxury Pendants are compatible with the same set of modules. The Track Light System has its own set of modules and can be surface mounted, embedded or suspended. Our In-Ground Channel Light is meant for exterior use and can also be installed in a wall or staircase.

Get inspired:


- Highly configurable modular lighting system
- Sleek and modern forms and finishes
- Lightweight and easy to install
- Durable with a high strength-to-weight ratio

1.




Choose track lighting, pendant, or in-ground.

2.




Pick your favorite light modules.

3.



Decide on your type of fixture.

4.







Finish designing your modular system.




LUXURY PENDANT

COLLECTION

ADAPTIVE PENDANT | HORIZON BASE



DALI



DALI



CLASSICAL



CLASSICAL

60" Horizon Base



● 12075 ● 32243

80" Horizon Base



● 12076 ● 32244

32" Adaptive Pendant



● 12084 ● 32252

40" Three-Tiered Pendant



MODULE H

● 12087 ● 32255

24" Round Pendant



● 12085 ● 32253

32" Round Pendant



● 12086 ● 32254

32" Adaptive Ring



● 12091 ● 32259

40" Adaptive Ring



● 12092 ● 32260



32x80" Matrix Kit (DALI)




MODULE S | MODULE R

● 12083 ● 32251

COMPATIBLE MODULES: R & S

60x60" Classical Matrix Kit



MODULE V

● 12072 ● 32287

COMPATIBLE MODULES: U & V

32x80" Matrix Kit



● 12082 ● 32250


40" Classical Adaptive Kit



● 12074 ● 32288

COMPATIBLE MODULES: U & V

60x60" Matrix Base



MODULE J

● 12078 ● 32246

32" Two-Tiered Pendant



32x32" Matrix Base



● 12077 ● 32245

24" Square Pendant



● 12053 ● 32261

32" Square Pendant



● 12093 ● 32262

● 12089 ● 32257

40" Two-Tiered Pendant



MODULE G

● 12088 ● 32256



5.6' Floor Lamp Base



● 12112 ● 32283

24" Table Lamp Base



● 12111 ● 32282

40" Adaptive Kit




● 12106 ● 32275

3x40" Adaptive Kit



● 12055 ● 32280

60" Adaptive Kit



● 12108 ● 32277

4x40" Adaptive Kit



● 12110 ● 32281

80" Adaptive Kit



● 12054 ● 32278

48" Adaptive Kit



● 12107 ● 32276

2x40" Adaptive Kit




● 12109 ● 32279

TRACK LIGHT SYSTEM

MMC FROSTED SLAB LIGHT BAR

MMA



MMB



MMC



MMD



MME



MSA



MSDA



MSE



ORB



CONE



MMS



ADJUSTABLE

MSM



SPOTLIGHT


MSF



Retail Store



Lobby



Sitting Room




Kitchen



MMC FROSTED SLAB LIGHT BAR | MSF TRACK HEAD


Office



Waiting Room



Reception



Living Room



Office




Bedroom



Dining Area



Hallway



Lounge



Office





TITAN IN-GROUND CHANNEL LIGHT

Walkway



Fence



Corporate



Wall



Plaza



Trim



No Trim



Images are meant as an example, size and color may vary slightly from the actual product.

ITEM	M³ PENDANTS	MODEL	ITEM	M³ PENDANTS	MODEL
11040	Cone A, 5W, 3000K, 120°, Copper	SES-M3-A-5-3000-COPPER	12049	Lamp K, 8W, 3000K, 120°, Copper	SES-M3-K-8-3000-COPPER
32100	Cone A, 5W, 4000K, 120°, Copper	SES-M3-A-5-4000-COPPER	32171	Lamp K, 8W, 3000K, 120°, Black	SES-M3-K-8-3000-BLACK
32101	Cone A, 5W, 6500K, 120°, Copper	SES-M3-A-5-6500-COPPER	32169	Lamp K, 8W, 4000K, 120°, Copper	SES-M3-K-8-4000-COPPER
32102	Cone A, 5W, 3000K, 120°, Black	SES-M3-A-5-3000-BLACK	32172	Lamp K, 8W, 4000K, 120°, Black	SES-M3-K-8-4000-BLACK
32103	Cone A, 5W, 4000K, 120°, Black	SES-M3-A-5-4000-BLACK	32170	Lamp K, 8W, 6500K, 120°, Copper	SES-M3-K-8-6500-COPPER
32104	Cone A, 5W, 6500K, 120°, Black	SES-M3-A-5-6500-BLACK	32173	Lamp K, 8W, 6500K, 120°, Black	SES-M3-K-8-6500-BLACK
32105	Cone B, 5W, 3000K, 25°, Copper	SES-M3-B-5-3000-25D-COPPER	32174	Bar L, 15W, 3000K, 120°, Copper	SES-M3-L-15-3000-COPPER
32108	Cone B, 5W, 3000K, 25°, Black	SES-M3-B-5-3000-25D-BLACK	32177	Bar L, 15W, 3000K, 120°, Black	SES-M3-L-15-3000-BLACK
32106	Cone B, 5W, 4000K, 25°, Copper	SES-M3-B-5-4000-25D-COPPER	32175	Bar L, 15W, 4000K, 120°, Copper	SES-M3-L-15-4000-COPPER
32109	Cone B, 5W, 4000K, 25°, Black	SES-M3-B-5-4000-25D-BLACK	32178	Bar L, 15W, 4000K, 120°, Black	SES-M3-L-15-4000-BLACK
32107	Cone B, 5W, 6500K, 25°, Copper	SES-M3-B-5-6500-25D-COPPER	32176	Bar L, 15W, 6500K, 120°, Copper	SES-M3-L-15-6500-COPPER
32110	Cone B, 5W, 6500K, 25°, Black	SES-M3-B-5-6500-25D-BLACK	32179	Bar L, 15W, 6500K, 120°, Black	SES-M3-L-15-6500-BLACK
32111	Cone B, 5W, 3000K, 38°, Copper	SES-M3-B-5-3000-38D-COPPER	12050	Disk M, 15W, 3000K, 120°, Copper	SES-M3-M-15-3000-COPPER
32114	Cone B, 5W, 3000K, 38°, Black	SES-M3-B-5-3000-38D-BLACK	32182	Disk M, 15W, 3000K, 120°, Black	SES-M3-M-15-3000-BLACK
32112	Cone B, 5W, 4000K, 38°, Copper	SES-M3-B-5-4000-38D-COPPER	32180	Disk M, 15W, 4000K, 120°, Copper	SES-M3-M-15-4000-COPPER
32115	Cone B, 5W, 4000K, 38°, Black	SES-M3-B-5-4000-38D-BLACK	32183	Disk M, 15W, 4000K, 120°, Black	SES-M3-M-15-4000-BLACK
32113	Cone B, 5W, 6500K, 38°, Copper	SES-M3-B-5-6500-38D-COPPER	32181	Disk M, 15W, 6500K, 120°, Copper	SES-M3-M-15-6500-COPPER
32116	Cone B, 5W, 6500K, 38°, Black	SES-M3-B-5-6500-38D-BLACK	32184	Disk M, 15W, 6500K, 120°, Black	SES-M3-M-15-6500-BLACK
12041	Orb C, 5W, 3000K, 120°, Copper	SES-M3-C-5-3000-COPPER	12051	Disk N, 15W, 3000K, 120°, Copper	SES-M3-N-15-3000-COPPER
32117	Orb C, 5W, 4000K, 120°, Copper	SES-M3-C-5-4000-COPPER	32187	Disk N, 15W, 3000K, 120°, Black	SES-M3-N-15-3000-BLACK
32118	Orb C, 5W, 6500K, 120°, Copper	SES-M3-C-5-6500-COPPER	32185	Disk N, 15W, 4000K, 120°, Copper	SES-M3-N-15-4000-COPPER
32119	Orb C, 5W, 3000K, 120°, Black	SES-M3-C-5-3000-BLACK	32188	Disk N, 15W, 4000K, 120°, Black	SES-M3-N-15-4000-BLACK
32120	Orb C, 5W, 4000K, 120°, Black	SES-M3-C-5-4000-BLACK	32186	Disk N, 15W, 6500K, 120°, Copper	SES-M3-N-15-6500-COPPER
32121	Orb C, 5W, 6500K, 120°, Black	SES-M3-C-5-6500-BLACK	32189	Disk N, 15W, 6500K, 120°, Black	SES-M3-N-15-6500-BLACK
12042	Cylinder D, 5W, 3000K, 120°, Copper	SES-M3-D-5-3000-COPPER	32190	Club O, 6W, 3000K, Copper	SES-M3-O-6-3000-COPPER
32124	Cylinder D, 5W, 3000K, 120°, Black	SES-M3-D-5-3000-BLACK	32193	Club O, 6W, 3000K, Black	SES-M3-O-6-3000-BLACK
32122	Cylinder D, 5W, 4000K, 120°, Copper	SES-M3-D-5-4000-COPPER	32191	Club O, 6W, 4000K, Copper	SES-M3-O-6-4000-COPPER
32125	Cylinder D, 5W, 4000K, 120°, Black	SES-M3-D-5-4000-BLACK	32194	Club O, 6W, 4000K, Black	SES-M3-O-6-4000-BLACK
32123	Cylinder D, 5W, 6500K, 120°, Copper	SES-M3-D-5-6500-COPPER	32192	Club O, 6W, 6500K, Copper	SES-M3-O-6-6500-COPPER
32126	Cylinder D, 5W, 6500K, 120°, Black	SES-M3-D-5-6500-BLACK	32195	Club O, 6W, 6500K, Black	SES-M3-O-6-6500-BLACK
12043	Cylinder E, 5W, 3000K, 25°, Copper	SES-M3-E-5-3000-25D-COPPER	32196	Club P, 6W, 3000K, Copper	SES-M3-P-6-3000-COPPER
32129	Cylinder E, 5W, 3000K, 25°, Black	SES-M3-E-5-3000-25D-BLACK	32199	Club P, 6W, 3000K, Black	SES-M3-P-6-3000-BLACK
32132	Cylinder E, 5W, 3000K, 38°, Copper	SES-M3-E-5-3000-38D-COPPER	32197	Club P, 6W, 4000K, Copper	SES-M3-P-6-4000-COPPER
32135	Cylinder E, 5W, 3000K, 38°, Black	SES-M3-E-5-3000-38D-BLACK	32200	Club P, 6W, 4000K, Black	SES-M3-P-6-4000-BLACK
32127	Cylinder E, 5W, 4000K, 25°, Copper	SES-M3-E-5-4000-25D-COPPER	32198	Club P, 6W, 6500K, Copper	SES-M3-P-6-6500-COPPER
32130	Cylinder E, 5W, 4000K, 25°, Black	SES-M3-E-5-4000-25D-BLACK	32201	Club P, 6W, 6500K, Black	SES-M3-P-6-6500-BLACK
32133	Cylinder E, 5W, 4000K, 38°, Copper	SES-M3-E-5-4000-38D-COPPER	12052	Tube Q, 38W, 3000K, 120°, Copper	SES-M3-Q-38-3000-COPPER
32136	Cylinder E, 5W, 4000K, 38°, Black	SES-M3-E-5-4000-38D-BLACK	32204	Tube Q, 38W, 3000K, 120°, Black	SES-M3-Q-38-3000-BLACK
32128	Cylinder E, 5W, 6500K, 25°, Copper	SES-M3-E-5-6500-25D-COPPER	32202	Tube Q, 38W, 4000K, 120°, Copper	SES-M3-Q-38-4000-COPPER
32131	Cylinder E, 5W, 6500K, 25°, Black	SES-M3-E-5-6500-25D-BLACK	32205	Tube Q, 38W, 4000K, 120°, Black	SES-M3-Q-38-4000-BLACK
32134	Cylinder E, 5W, 6500K, 38°, Copper	SES-M3-E-5-6500-38D-COPPER	32203	Tube Q, 38W, 6500K, 120°, Copper	SES-M3-Q-38-6500-COPPER
32137	Cylinder E, 5W, 6500K, 38°, Black	SES-M3-E-5-6500-38D-BLACK	32206	Tube Q, 38W, 6500K, 120°, Black	SES-M3-Q-38-6500-BLACK
12044	Track Head F, 5W, 3000K, 35°, Copper	SES-M3-F-5-3000-35D-COPPER	32207	Track Head R, 5W, 3000K, 35°, Copper	SES-M3-R-5-3000-35D-COPPER
32140	Track Head F, 5W, 3000K, 35°, Black	SES-M3-F-5-3000-35D-BLACK	32208	Track Head R, 5W, 4000K, 35°, Copper	SES-M3-R-5-4000-35D-COPPER
32143	Track Head F, 5W, 3000K, 45°, Copper	SES-M3-F-5-3000-45D-COPPER	32209	Track Head R, 5W, 6500K, 35°, Copper	SES-M3-R-5-6500-35D-COPPER
32146	Track Head F, 5W, 3000K, 45°, Black	SES-M3-F-5-3000-45D-BLACK	32210	Track Head R, 5W, 3000K, 35°, Black	SES-M3-R-5-3000-35D-BLACK
32138	Track Head F, 5W, 4000K, 35°, Copper	SES-M3-F-5-4000-35D-COPPER	32211	Track Head R, 5W, 4000K, 35°, Black	SES-M3-R-5-4000-35D-BLACK
32141	Track Head F, 5W, 4000K, 35°, Black	SES-M3-F-5-4000-35D-BLACK	32212	Track Head R, 5W, 6500K, 35°, Black	SES-M3-R-5-6500-35D-BLACK
32144	Track Head F, 5W, 4000K, 45°, Copper	SES-M3-F-5-4000-45D-COPPER	32213	Track Head R, 5W, 3000K, 45°, Copper	SES-M3-R-5-3000-45D-COPPER
32147	Track Head F, 5W, 4000K, 45°, Black	SES-M3-F-5-4000-45D-BLACK	32214	Track Head R, 5W, 4000K, 45°, Copper	SES-M3-R-5-4000-45D-COPPER
32139	Track Head F, 5W, 6500K, 35°, Copper	SES-M3-F-5-6500-35D-COPPER	32215	Track Head R, 5W, 6500K, 45°, Copper	SES-M3-R-5-6500-45D-COPPER
32142	Track Head F, 5W, 6500K, 35°, Black	SES-M3-F-5-6500-35D-BLACK	32216	Track Head R, 5W, 3000K, 45°, Black	SES-M3-R-5-3000-45D-BLACK
32145	Track Head F, 5W, 6500K, 45°, Copper	SES-M3-F-5-6500-45D-COPPER	32217	Track Head R, 5W, 4000K, 45°, Black	SES-M3-R-5-4000-45D-BLACK
32148	Track Head F, 5W, 6500K, 45°, Black	SES-M3-F-5-6500-45D-BLACK	32218	Track Head R, 5W, 6500K, 45°, Black	SES-M3-R-5-6500-45D-BLACK
12045	Lamp G, 5W, 3000K, 120°, Copper	SES-M3-G-5-3000-COPPER	32219	Bar S, 15W, 3000K, 120°, Copper	SES-M3-S-15-3000-COPPER
32151	Lamp G, 5W, 3000K, 120°, Black	SES-M3-G-5-3000-BLACK	32220	Bar S, 15W, 4000K, 120°, Copper	SES-M3-S-15-4000-COPPER
32149	Lamp G, 5W, 4000K, 120°, Copper	SES-M3-G-5-4000-COPPER	32221	Bar S, 15W, 6500K, 120°, Copper	SES-M3-S-15-6500-COPPER
32152	Lamp G, 5W, 4000K, 120°, Black	SES-M3-G-5-4000-BLACK	32222	Bar S, 15W, 3000K, 120°, Black	SES-M3-S-15-3000-BLACK
32150	Lamp G, 5W, 6500K, 120°, Copper	SES-M3-G-5-6500-COPPER	32223	Bar S, 15W, 4000K, 120°, Black	SES-M3-S-15-4000-BLACK
32153	Lamp G, 5W, 6500K, 120°, Black	SES-M3-G-5-6500-BLACK	32224	Bar S, 15W, 6500K, 120°, Black	SES-M3-S-15-6500-BLACK
12046	Orb H, 5W, 3000K, 120°, Copper	SES-M3-H-5-3000-COPPER	32231	Lamp U, 5W, 3000K, 38°, Copper	SES-M3-U-5-3000-COPPER
32156	Orb H, 5W, 3000K, 120°, Black	SES-M3-H-5-3000-BLACK	32232	Lamp U, 5W, 4000K, 38°, Copper	SES-M3-U-5-4000-COPPER
32154	Orb H, 5W, 4000K, 120°, Copper	SES-M3-H-5-4000-COPPER	32233	Lamp U, 5W, 6500K, 38°, Copper	SES-M3-U-5-6500-COPPER
32157	Orb H, 5W, 4000K, 120°, Black	SES-M3-H-5-4000-BLACK	32234	Lamp U, 5W, 3000K, 38°, Black	SES-M3-U-5-3000-BLACK
32155	Orb H, 5W, 6500K, 120°, Copper	SES-M3-H-5-6500-COPPER	32235	Lamp U, 5W, 4000K, 38°, Black	SES-M3-U-5-4000-BLACK
32158	Orb H, 5W, 6500K, 120°, Black	SES-M3-H-5-6500-BLACK	32236	Lamp U, 5W, 6500K, 38°, Black	SES-M3-U-5-6500-BLACK
12047	Block I, 10W, 3000K, 120°, Copper	SES-M3-I-10-3000-COPPER	32237	Lamp V, 5W, 3000K, 120°, Copper	SES-M3-V-5-3000-COPPER
32161	Block I, 10W, 3000K, 120°, Black	SES-M3-I-10-3000-BLACK	32238	Lamp V, 5W, 4000K, 120°, Copper	SES-M3-V-5-4000-COPPER
32159	Block I, 10W, 4000K, 120°, Copper	SES-M3-I-10-4000-COPPER	32239	Lamp V, 5W, 6500K, 120°, Copper	SES-M3-V-5-6500-COPPER
32162	Block I, 10W, 4000K, 120°, Black	SES-M3-I-10-4000-BLACK	32240	Lamp V, 5W, 3000K, 120°, Black	SES-M3-V-5-3000-BLACK
32160	Block I, 10W, 6500K, 120°, Copper	SES-M3-I-10-6500-COPPER	32241	Lamp V, 5W, 4000K, 120°, Black	SES-M3-V-5-4000-BLACK
32163	Block I, 10W, 6500K, 120°, Black	SES-M3-I-10-6500-BLACK	32242	Lamp V, 5W, 6500K, 120°, Black	SES-M3-V-5-6500-BLACK
12048	Cone J, 5W, 3000K, 120°, Copper	SES-M3-J-5-3000-COPPER			
32166	Cone J, 5W, 3000K, 120°, Black	SES-M3-J-5-3000-BLACK			
32164	Cone J, 5W, 4000K, 120°, Copper	SES-M3-J-5-4000-COPPER			
32167	Cone J, 5W, 4000K, 120°, Black	SES-M3-J-5-4000-BLACK			
32165	Cone J, 5W, 6500K, 120°, Copper	SES-M3-J-5-6500-COPPER			
32168	Cone J, 5W, 6500K, 120°, Black	SES-M3-J-5-6500-BLACK			

ITEM	M ³ TRACK LIGHT SYSTEM	MODEL
32024	Track Head, 5W, 3000K, 24°	SES-MSF-5-3000-24D
32025	Track Head, 5W, 4000K, 24°	SES-MSF-5-4000-24D
32026	Track Head, 5W, 3000K, 35°	SES-MSF-5-3000-35D
32027	Track Head, 5W, 4000K, 35°	SES-MSF-5-4000-35D
32028	Track Head, 5W, 3000K, 45°	SES-MSF-5-3000-45D
32029	Track Head, 5W, 4000K, 45°	SES-MSF-5-4000-45D
32030	Track Head, 10W, 3000K, 24°	SES-MSF-10-3000-24D
32031	Track Head, 10W, 4000K, 24°	SES-MSF-10-4000-24D
12003	Track Head, 10W, 3000K, 35°	SES-MSF-10-3000-35D
32032	Track Head, 10W, 4000K, 35°	SES-MSF-10-4000-35D
32033	Track Head, 10W, 3000K, 45°	SES-MSF-10-3000-45D
32034	Track Head, 10W, 4000K, 45°	SES-MSF-10-4000-45D
32035	Track Head, 15W, 3000K, 24°	SES-MSF-15-3000-24D
32036	Track Head, 15W, 4000K, 24°	SES-MSF-15-4000-24D
12004	Track Head, 15W, 3000K, 35°	SES-MSF-15-3000-35D
32037	Track Head, 15W, 4000K, 35°	SES-MSF-15-4000-35D
32038	Track Head, 15W, 3000K, 45°	SES-MSF-15-3000-45D
32039	Track Head, 15W, 4000K, 45°	SES-MSF-15-4000-45D
32040	Double Track Head, 5W x 2, 3000K, 24°	SES-MSF-5'2-3000-24D
32041	Double Track Head, 5W x 2, 4000K, 24°	SES-MSF-5'2-4000-24D
32042	Double Track Head, 5W x 2, 3000K, 35°	SES-MSF-5'2-3000-35D
32043	Double Track Head, 5W x 2, 4000K, 35°	SES-MSF-5'2-4000-35D
32044	Double Track Head, 5W x 2, 3000K, 45°	SES-MSF-5'2-3000-45D
32045	Double Track Head, 5W x 2, 4000K, 45°	SES-MSF-5'2-4000-45D
32063	Spotlight Track Head, 8W, 3000K, 10°	SES-MSM-8-3000-10D
32064	Spotlight Track Head, 8W, 4000K, 10°	SES-MSM-8-4000-10D
32003	Adjustable Track Head, 5W, 3000K, 15/30°	SES-MMS-5-3000-15/30D
32004	Adjustable Track Head, 5W, 4000K, 15/30°	SES-MMS-5-4000-15/30D
32005	Adjustable Track Head, 15W, 3000K, 15/30°	SES-MMS-15-3000-15/30D
32006	Adjustable Track Head, 15W, 4000K, 15/30°	SES-MMS-15-4000-15/30D
32065	Cylinder Light, 5W, 3000K, 35°	SES-MSA-5-3000-35D
32066	Cylinder Light, 5W, 4000K, 35°	SES-MSA-5-4000-35D
32067	Cylinder Light, 5W, 3000K, 45°	SES-MSA-5-3000-45D
32068	Cylinder Light, 5W, 4000K, 45°	SES-MSA-5-4000-45D
32047	Light Bar, 15W, 3000K, 15°	SES-MMA-15-3000-15D
32048	Light Bar, 15W, 4000K, 15°	SES-MMA-15-4000-15D
32049	Light Bar, 15W, 3000K, 30°	SES-MMA-15-3000-30D
32050	Light Bar, 15W, 4000K, 30°	SES-MMA-15-4000-30D
32051	Light Bar, 15W, 3000K, 45°	SES-MMA-15-3000-45D
32052	Light Bar, 15W, 4000K, 45°	SES-MMA-15-4000-45D
32053	Light Bar, 22W, 3000K, 15°	SES-MMA-22-3000-15D
32054	Light Bar, 22W, 4000K, 15°	SES-MMA-22-4000-15D
32055	Light Bar, 22W, 3000K, 30°	SES-MMA-22-3000-30D
32056	Light Bar, 22W, 4000K, 30°	SES-MMA-22-4000-30D
32057	Light Bar, 22W, 3000K, 45°	SES-MMA-22-3000-45D
32058	Light Bar, 22W, 4000K, 45°	SES-MMA-22-4000-45D
12001	Frosted Light Bar, 15W, 3000K, 120°	SES-MMD-15-3000-120D
32018	Frosted Light Bar, 15W, 4000K, 120°	SES-MMD-15-4000-120D
32019	Frosted Light Bar, 22W, 3000K, 120°	SES-MMD-22-3000-120D
32020	Frosted Light Bar, 22W, 4000K, 120°	SES-MMD-22-4000-120D
32021	Frosted Slab Light Bar, 15W, 3000K, 120°	SES-MMC-15-3000-120D
32022	Frosted Slab Light Bar, 15W, 4000K, 120°	SES-MMC-15-4000-120D
12002	Frosted Slab Light Bar, 22W, 3000K, 120°	SES-MMC-22-3000-120D
32023	Frosted Slab Light Bar, 22W, 4000K, 120°	SES-MMC-22-4000-120D
32007	Axis Light Bar, 15W, 3000K, 15°	SES-MMB-15-3000-15D
32008	Axis Light Bar, 15W, 4000K, 15°	SES-MMB-15-4000-15D
12000	Axis Light Bar, 15W, 3000K, 30°	SES-MMB-15-3000-30D
32009	Axis Light Bar, 15W, 4000K, 30°	SES-MMB-15-4000-30D
32010	Axis Light Bar, 15W, 3000K, 45°	SES-MMB-15-3000-45D
32011	Axis Light Bar, 15W, 4000K, 45°	SES-MMB-15-4000-45D
32012	Axis Light Bar, 22W, 3000K, 15°	SES-MMB-22-3000-15D
32013	Axis Light Bar, 22W, 4000K, 15°	SES-MMB-22-4000-15D
32014	Axis Light Bar, 22W, 3000K, 30°	SES-MMB-22-3000-30D
32015	Axis Light Bar, 22W, 4000K, 30°	SES-MMB-22-4000-30D
32016	Axis Light Bar, 22W, 3000K, 45°	SES-MMB-22-3000-45D
32017	Axis Light Bar, 22W, 4000K, 45°	SES-MMB-22-4000-45D
32059	Frosted Axis Bar, 15W, 3000K, 120°	SES-MME-15-3000-120D
32060	Frosted Axis Bar, 15W, 4000K, 120°	SES-MME-15-4000-120D
32061	Frosted Axis Bar, 22W, 3000K, 120°	SES-MME-22-3000-120D
32062	Frosted Axis Bar, 22W, 4000K, 120°	SES-MME-22-4000-120D
32077	Suspended Cone Light, 5W, 3000K, 120°	SES-CONE-WIRE-5-3000-120D
32078	Suspended Cone Light, 5W, 4000K, 120°	SES-CONE-WIRE-5-4000-120D

ITEM	M ³ TRACK LIGHT SYSTEM	MODEL
32075	Cone Light, 5W, 3000K, 120°	SES-CONE-5-3000-120D
32076	Cone Light, 5W, 4000K, 120°	SES-CONE-5-4000-120D
32073	Suspended Orb Light, 5W, 3000K, 120°	SES-ORB-WIRE-5-3000-120D
32074	Suspended Orb Light, 5W, 4000K, 120°	SES-ORB-WIRE-5-4000-120D
32071	Orb Light, 5W, 3000K, 120°	SES-ORB-5-3000-120D
32072	Orb Light, 5W, 4000K, 120°	SES-ORB-5-4000-120D
12005	Suspended Cylinder, 10W, 3000K, 35°	SES-MSDA-10-3000-35D
32046	Suspended Cylinder, 10W, 4000K, 35°	SES-MSDA-10-4000-35D
32069	Suspended Cylinder, 15W, 3000K, 120°	SES-MSE-15-3000-120D
32070	Suspended Cylinder, 15W, 4000K, 120°	SES-MSE-15-4000-120D
42020-H	350W External Driver (0-10V / DALI)	SES-ME-DRIVER-350-48
42020-J	150W Internal Driver (DALI)	SES-ME-DRIVER-150-48
42020-K	Intelligent Dimmer Switch	SES-ME-SWITCH-1
42020-L	0-10V Dimmer Switch	SES-ME-SWITCH-2
12020	39.4" Track Rail	SES-MEN-RAIL
12021	39.4" Track Rail (Recessed)	SES-MECN-RAIL
42020-B	Connector Kit	SES-ME-CONNECTOR
42020-A	Feeder Cable	SES-ME-FEEDER
12022	Corner H	SES-MEN-CORNER-H
12024	Corner V	SES-MEN-CORNER-V
12023	Corner H (Recessed)	SES-MECN-CORNER-H
12025	Corner V (Recessed)	SES-MECN-CORNER-V
32000	120° Corner	SES-MELN-CORNER
32001	120° Corner V	SES-MEN-CORNER-V-60
32002	120° Corner 3V	SES-MEN-CORNER-3V-60
42020-E	15" Pipe Kit	SES-ME-PIPES
42020-F	39.4" Cover	SES-ME-COVER
42020-C	End Cap	SES-ME-CAP
42020-G	Surface Mount Anchors	SES-ME-ANCHORS
42020-D	39.4" Suspension Cable Kit	SES-ME-CABLE

ITEM	M ³ IN-GROUND CHANNEL	MODEL
10637	7.5W Light Module, 3000K, 11.8"	SES-TITAN-7.5-3000
10638	7.5W Light Module, 4000K, 11.8"	SES-TITAN-7.5-4000
10639	7.5W Light Module, 6500K, 11.8"	SES-TITAN-7.5-6500
10640	7.5W Light Module, Red, 11.8"	SES-TITAN-7.5-RED
10641	7.5W Light Module, Green, 11.8"	SES-TITAN-7.5-GREEN
10642	7.5W Light Module, Blue, 11.8"	SES-TITAN-7.5-BLUE
10643	15W Light Module, 3000K, 22.8"	SES-TITAN-15-3000
10644	15W Light Module, 4000K, 22.8"	SES-TITAN-15-4000
10645	15W Light Module, 6500K, 22.8"	SES-TITAN-15-6500
10646	15W Light Module, Red, 22.8"	SES-TITAN-15-RED
10647	15W Light Module, Green, 22.8"	SES-TITAN-15-GREEN
10648	15W Light Module, Blue, 22.8"	SES-TITAN-15-BLUE
40637-A	Bolt	SES-TITAN-BOLT-S
40637-B	MT End Cap (Trimless)	SES-TITAN-MT-END-CAP
40637-C	MC End Cap (With Trim)	SES-TITAN-MC-END-CAP
40637-D	90° Connector	SES-TITAN-90°-CONNECTOR
40637-E	180° Connector	SES-TITAN-180°-CONNECTOR
40637-F	11.8" MT Channel (No Trim)	SES-TITAN-MT-11.8
40637-G	22.8" MT Channel (No Trim)	SES-TITAN-MT-22.8
40637-H	44.6" MT Channel (No Trim)	SES-TITAN-MT-44.6
40637-I	94.5" MT Channel (No Trim)	SES-TITAN-MT-94.5
40637-J	118.1" MT Channel (No Trim)	SES-TITAN-MT-118.1
40637-K	11.8" MC Channel (Trim)	SES-TITAN-MC-11.8
40637-L	22.8" MC Channel (Trim)	SES-TITAN-MC-22.8
40637-M	44.6" MC Channel (Trim)	SES-TITAN-MC-44.6
40637-N	94.5" MC Channel (Trim)	SES-TITAN-MC-94.5
40637-O	118.1" MC Channel (Trim)	SES-TITAN-MC-118.1
40637-P	100W MEAN WELL Driver	SES-TITAN-DRIVER-100-24
40637-Q	150W MEAN WELL Driver	SES-TITAN-DRIVER-150-24
40637-R	200W MEAN WELL Driver	SES-TITAN-DRIVER-200-24
40637-T	Driver Box	SES-TITAN-DRIVER-BOX
40637-U	39.4" Cable	SES-TITAN-CABLE-39.4
40637-V	78.7" Cable	SES-TITAN-CABLE-78.7