

COLOSSAL

OUTDOOR SCONCE LIGHTING

 Proudly Assembled in Houston, TX



Assembled in USA
HOUSTON, TX




Bold & Elegant

Individually crafted by hand
Proudly assembled in Houston, TX
Easy to install and maintain
Indefinitely replaceable bulbs
Three-year warranty included




LENS DETAILS



Aquatex

- Material: Glass
- Color: Transparent
- Durability: Medium
- Opacity: 1%
- Texture: Ripples
- Finish: Glossy



Rainy

- Material: Acrylic
- Color: Semi-Frosted
- Durability: Medium
- Opacity: 10%
- Texture: Water Fractal
- Finish: Glossy



Frosted

- Material: Acrylic
- Color: White
- Durability: High
- Opacity: 80%
- Texture: Smooth
- Finish: Matte



Opaque

- Material: Acrylic
- Color: Bright White
- Durability: High
- Opacity: 90%
- Texture: Smooth
- Finish: Glossy



Textured

- Material: Acrylic
- Color: Semi-Frosted
- Durability: Medium
- Opacity: 20%
- Texture: Geometric
- Finish: Glossy



Marbled

- Material: Acrylic
- Color: Tan Cream
- Durability: Very High
- Opacity: 95%
- Texture: Marble Slab
- Finish: Glossy

105



3 ft • 10 Watts
6 ft • 25 Watts

106



3 ft • 10 Watts
6 ft • 50 Watts

104



3 ft • 20 Watts
6 ft • 50 Watts

115



3 ft • 20 Watts
6 ft • 50 Watts

316



3 ft • 25 Watts
6 ft • 50 Watts

310



3 ft • 20 Watts
6 ft • 30 Watts

108



3 ft • 20 Watts
6 ft • 50 Watts

203



3 ft • 20 Watts
6 ft • 50 Watts

109



3 ft • 20 Watts
6 ft • 40 Watts

103



3 ft • 20 Watts
6 ft • 50 Watts

014



3 ft • 10 Watts
6 ft • 25 Watts

107




3 ft • 20 Watts
6 ft • 50 Watts

218



3 ft • 24 Watts
6 ft • 48 Watts



Flagship COLOSSAL Wall Sconce


SES-BWS105



3ft Power	10 watts
6ft Power	25 watts
3ft Output	1,200 lumens
6ft Output	3,000 lumens
CCT	3000K ● 4000K ○
Voltage	AC90 - 130V
CRI	>80
PF	≥0.95
Materials	304 Stainless Steel, Acrylic
Lens Option	Frosted ● Rainy ●
Housing Color	Matte Black
Bulb Lifespan	50,000 hours




 3ft BWS105, Rainy SES-BWS105-3FT-RAINY #11001-3 ● #11001-4 ○	 3ft BWS105, Frosted SES-BWS105-3FT-FROSTED #11002-3 ● #11002-4 ○
 6ft BWS105, Rainy SES-BWS105-6FT-RAINY #11003-3 ● #11003-4 ○	 6ft BWS105, Frosted SES-BWS105-6FT-FROSTED #11004-3 ● #11004-4 ○





Celtic COLOSSAL Wall Sconce SES-BWS103




- 120°
- IP55
- T8
- 3 YR
- DIM

3ft Power	20 watts
6ft Power	50 watts
3ft Output	2,400 lumens
6ft Output	6,000 lumens
CCT	3000K <input checked="" type="radio"/> 4000K <input type="radio"/>
Voltage	AC90 - 130V
CRI	>80
PF	≥0.95
Materials	304 Stainless Steel, Acrylic
Lens Option	Rainy <input checked="" type="radio"/> Frosted <input type="radio"/>
Housing Color	Matte Black
Bulb Lifespan	50,000 hours

	3ft BWS103, Rainy SES-BWS103-3FT-RAINY #11007-3 <input checked="" type="radio"/> #11007-4 <input type="radio"/>		3ft Frosted Cover SES-BWS103-3FT-COV #41007-A
	6ft BWS103, Rainy SES-BWS103-6FT-RAINY #11008-3 <input checked="" type="radio"/> #11008-4 <input type="radio"/>		6ft Frosted Cover SES-BWS103-6FT-COV #41008-A

Pinstripe COLOSSAL Wall Sconce SES-BWS104



- 120°
- IP54
- T8
- 3 YR
- DIM

3ft Power	20 watts
6ft Power	50 watts
3ft Output	2,400 lumens
6ft Output	6,000 lumens
CCT	3000K <input checked="" type="radio"/> 4000K <input type="radio"/>
Voltage	AC90 - 130V
CRI	>80
PF	≥0.95
Materials	304 Stainless Steel, Acrylic
Lens Option	Opaque <input checked="" type="radio"/>
Housing Color	Brown
Bulb Lifespan	50,000 hours

	3ft BWS104, Opaque SES-BWS104-3FT-OPAQUE #11009-3 <input checked="" type="radio"/> #11009-4 <input type="radio"/>		6ft BWS104, Opaque SES-BWS104-6FT-OPAQUE #11010-3 <input checked="" type="radio"/> #11010-4 <input type="radio"/>
--	--	--	--



Illusion COLOSSAL Wall Sconce

SES-BWS107




3ft Power	20 watts
6ft Power	50 watts
3ft Output	2,400 lumens
6ft Output	6,000 lumens
CCT	3000K ● 4000K ○
Voltage	AC90 - 130V
CRI	>80
PF	≥0.95
Materials	304 Stainless Steel, Acrylic
Lens Option	Rainy ● Textured ●
Housing Color	Matte Black
Bulb Lifespan	50,000 hours




 <p>3ft BWS107, Rainy SES-BWS107-3FT-RAINY #11013-3 ● #11013-4 ○</p>	 <p>3ft Textured Cover SES-BWS107-3FT-COV #41013-A</p>
---	--

 <p>6ft BWS107, Rainy SES-BWS107-6FT-RAINY #11014-3 ● #11014-4 ○</p>	 <p>6ft Textured Cover SES-BWS107-6FT-COV #41014-A</p>
---	--








Transected COLOSSAL Wall Sconce SES-BWS218





3ft Power	24 watts
6ft Power	48 watts
3ft Output	2,640 lumens
6ft Output	5,280 lumens
CCT	3000K ● 4000K ○
Voltage	AC90 - 130V
CRI	>80
PF	≥0.95
Materials	304 Stainless Steel, Acrylic
Lens Option	Opaque ● Rainy ●
Housing Color	Matte Black
Bulb Lifespan	50,000 hours


 3ft BWS218, Opaque SES-BWS218-3FT-OPAQUE #11019-3 ● #11019-4 ○	 3ft Rainy Cover SES-BWS218-3FT-COV #41019-A
 6ft BWS218, Opaque SES-BWS218-6FT-OPAQUE #11020-3 ● #11020-4 ○	 6ft Rainy Cover SES-BWS218-6FT-COV #41020-A

Roman COLOSSAL Wall Sconce SES-BWS109




3ft Power	20 watts
6ft Power	40 watts
3ft Output	2,400 lumens
6ft Output	4,800 lumens
CCT	3000K ● 4000K ○
Voltage	AC90 - 130V
CRI	>80
PF	≥0.95
Materials	304 Stainless Steel, Acrylic
Lens Option	Rainy ● Textured ●
Housing Color	Matte Black
Bulb Lifespan	50,000 hours

 3ft BWS109, Rainy SES-BWS109-3FT-RAINY #11023-3 ● #11023-4 ○	 3ft Textured Cover SES-BWS109-3FT-COV #41023-A
 6ft BWS109, Rainy SES-BWS109-6FT-RAINY #11024-3 ● #11024-4 ○	 6ft Textured Cover SES-BWS109-6FT-COV #41024-A



Classical COLOSSAL Wall Sconce SES-BWS316





- 120°
- IP55
- T8
- 3 YR
- DIM

3ft Power	25 watts
6ft Power	50 watts
3ft Output	3,000 lumens
6ft Output	6,000 lumens
CCT	3000K ● 4000K ○
Voltage	AC90 - 130V
CRI	>80
PF	≥0.95
Materials	304 Stainless Steel, Acrylic
Lens Option	Opaque ●
Housing Color	Matte Black
Bulb Lifespan	50,000 hours

<p>3ft BWS316, Opaque SES-BWS316-3FT-OPAQUE #11005-3 ● #11005-4 ○</p>	<p>6ft BWS316, Opaque SES-BWS316-6FT-OPAQUE #11006-3 ● #11006-4 ○</p>
--	--

Sentry COLOSSAL Wall Sconce SES-BWS106



- 120°
- IP55
- T8
- 3 YR
- DIM

3ft Power	10 watts
6ft Power	50 watts
3ft Output	1,200 lumens
6ft Output	6,000 lumens
CCT	3000K ● 4000K ○
Voltage	AC90 - 130V
CRI	>80
PF	≥0.95
Materials	304 Stainless Steel, Glass
Lens Option	Aquatex ●
Housing Color	Gray
Bulb Lifespan	50,000 hours

<p>3ft BWS106, Glass SES-BWS106-3FT-GLASS #11011-3 ● #11011-4 ○</p>	<p>6ft BWS106, Glass SES-BWS106-6FT-GLASS #11012-3 ● #11012-4 ○</p>
--	--



Art Deco COLOSSAL Wall Sconce SES-BWS014




3ft Power	10 watts
6ft Power	25 watts
3ft Output	1,200 lumens
6ft Output	3,000 lumens
CCT	3000K ● 4000K ○
Voltage	AC90 - 130V
CRI	>80
PF	≥0.95
Materials	304 Stainless Steel, Acrylic
Lens Option	Opaque ● Rainy ●
Housing Color	Matte Black
Bulb Lifespan	50,000 hours




	3ft BWS014, Opaque SES-BWS014-3FT-OPAQUE #11025-3 ● #11025-4 ○		3ft Rainy Cover SES-BWS014-3FT-COV #41025-A
--	---	---	--

	6ft BWS014, Opaque SES-BWS014-6FT-OPAQUE #11026-3 ● #11026-4 ○		6ft Rainy Cover SES-BWS014-6FT-COV #41026-A
--	---	---	--





Visionary COLOSSAL Wall Sconce SES-BWS310




3ft Power	20 watts
6ft Power	30 watts
3ft Output	2,400 lumens
6ft Output	3,600 lumens
CCT	3000K ● 4000K ○
Voltage	AC90 - 130V
CRI	>80
PF	≥0.95
Materials	304 Stainless Steel, Glass
Lens Option	Aquatex ●
Housing Color	Matte Black
Bulb Lifespan	50,000 hours

3ft BWS310, Glass
 SES-BWS310-3FT-GLASS
 #11021-3 ● #11021-4 ○

6ft BWS310, Glass
 SES-BWS310-6FT-GLASS
 #11022-3 ● #11022-4 ○

Marble Slab COLOSSAL Wall Sconce SES-BWS115





3ft Power	20 watts
6ft Power	50 watts
3ft Output	2,400 lumens
6ft Output	6,000 lumens
CCT	3000K ● 4000K ○
Voltage	AC90 - 130V
CRI	>80
PF	≥0.95
Materials	304 Stainless Steel, Acrylic
Lens Option	Marbled ●
Housing Color	Matte Black
Bulb Lifespan	50,000 hours

3ft BWS115, Marbled
 SES-BWS115-3FT-MARBLED
 #11027-3 ● #11027-4 ○





6ft BWS115, Marbled
 SES-BWS115-6FT-MARBLED
 #11028-3 ● #11028-4 ○




Towering COLOSSAL Wall Sconce SES-BWS203



3ft Power	20 watts
6ft Power	50 watts
3ft Output	2,400 lumens
6ft Output	6,000 lumens
CCT	3000K ● 4000K ○
Voltage	AC90 - 130V
CRI	>80
PF	≥0.95
Materials	304 Stainless Steel, Acrylic
Lens Option	Frosted ● Rainy ●
Housing Color	Matte Black
Bulb Lifespan	50,000 hours







































	3ft BWS203, Frosted SES-BWS203-3FT-FROSTED #11017-3 ● #11017-4 ○		3ft Rainy Cover SES-BWS203-3FT-COV #41017-A
	6ft BWS203, Frosted SES-BWS203-6FT-FROSTED #11018-3 ● #11018-4 ○		6ft Rainy Cover SES-BWS203-6FT-COV #41018-A

Regalia COLOSSAL Wall Sconce SES-BWS108




3ft Power	20 watts
6ft Power	50 watts
3ft Output	2,400 lumens
6ft Output	6,000 lumens
CCT	3000K ● 4000K ○
Voltage	AC90 - 130V
CRI	>80
PF	≥0.95
Materials	304 Stainless Steel, Acrylic
Lens Option	Opaque ● Textured ●
Housing Color	Matte Black
Bulb Lifespan	50,000 hours

	3ft BWS108, Opaque SES-BWS108-3FT-OPAQUE #11015-3 ● #11015-4 ○		3ft Textured Cover SES-BWS108-3FT-COV #41015-A
	6ft BWS108, Opaque SES-BWS108-6FT-OPAQUE #11016-3 ● #11016-4 ○		6ft Textured Cover SES-BWS108-6FT-COV #41016-A

 <p>3ft BWS014, Opaque SES-BWS014-3FT-OPAQUE #11025-3 ● #11025-4 ○</p>	 <p>3ft Rainy Cover SES-BWS014-3FT-COV #41025-A</p>	 <p>6ft BWS014, Opaque SES-BWS014-6FT-OPAQUE #11026-3 ● #11026-4 ○</p>	 <p>6ft Rainy Cover SES-BWS014-6FT-COV #41026-A</p>
 <p>3ft BWS103, Rainy SES-BWS103-3FT-RAINY #11007-3 ● #11007-4 ○</p>	 <p>3ft Frosted Cover SES-BWS103-3FT-COV #41007-A</p>	 <p>6ft BWS103, Rainy SES-BWS103-6FT-RAINY #11008-3 ● #11008-4 ○</p>	 <p>6ft Frosted Cover SES-BWS103-6FT-COV #41008-A</p>
 <p>3ft BWS104, Opaque SES-BWS104-3FT-OPAQUE #11009-3 ● #11009-4 ○</p>	 <p>6ft BWS104, Opaque SES-BWS104-6FT-OPAQUE #11010-3 ● #11010-4 ○</p>	 <p>3ft BWS115, Marbled SES-BWS115-3FT-MARBLED #11027-3 ● #11027-4 ○</p>	 <p>6ft BWS115, Marbled SES-BWS115-6FT-MARBLED #11028-3 ● #11028-4 ○</p>
 <p>3ft BWS109, Rainy SES-BWS109-3FT-RAINY #11023-3 ● #11023-4 ○</p>	 <p>3ft Textured Cover SES-BWS109-3FT-COV #41023-A</p>	 <p>6ft BWS109, Rainy SES-BWS109-6FT-RAINY #11024-3 ● #11024-4 ○</p>	 <p>6ft Textured Cover SES-BWS109-6FT-COV #41024-A</p>
 <p>3ft BWS106, Glass SES-BWS106-3FT-GLASS #11011-3 ● #11011-4 ○</p>	 <p>6ft BWS106, Glass SES-BWS106-6FT-GLASS #11012-3 ● #11012-4 ○</p>	 <p>3ft BWS310, Glass SES-BWS310-3FT-GLASS #11021-3 ● #11021-4 ○</p>	 <p>6ft BWS310, Glass SES-BWS310-6FT-GLASS #11022-3 ● #11022-4 ○</p>
 <p>3ft BWS203, Frosted SES-BWS203-3FT-FROSTED #11017-3 ● #11017-4 ○</p>	 <p>3ft Rainy Cover SES-BWS203-3FT-COV #41017-A</p>	 <p>6ft BWS203, Frosted SES-BWS203-6FT-FROSTED #11018-3 ● #11018-4 ○</p>	 <p>6ft Rainy Cover SES-BWS203-6FT-COV #41018-A</p>
 <p>3ft BWS108, Opaque SES-BWS108-3FT-OPAQUE #11015-3 ● #11015-4 ○</p>	 <p>3ft Textured Cover SES-BWS108-3FT-COV #41015-A</p>	 <p>6ft BWS108, Opaque SES-BWS108-6FT-OPAQUE #11016-3 ● #11016-4 ○</p>	 <p>6ft Textured Cover SES-BWS108-6FT-COV #41016-A</p>
 <p>3ft BWS105, Rainy SES-BWS105-3FT-RAINY #11001-3 ● #11001-4 ○</p>	 <p>3ft BWS105, Frosted SES-BWS105-3FT-FROSTED #11002-3 ● #11002-4 ○</p>	 <p>6ft BWS105, Rainy SES-BWS105-6FT-RAINY #11003-3 ● #11003-4 ○</p>	 <p>6ft BWS105, Frosted SES-BWS105-6FT-FROSTED #11004-3 ● #11004-4 ○</p>
 <p>3ft BWS107, Rainy SES-BWS107-3FT-RAINY #11013-3 ● #11013-4 ○</p>	 <p>3ft Textured Cover SES-BWS107-3FT-COV #41013-A</p>	 <p>6ft BWS107, Rainy SES-BWS107-6FT-RAINY #11014-3 ● #11014-4 ○</p>	 <p>6ft Textured Cover SES-BWS107-6FT-COV #41014-A</p>
 <p>3ft BWS218, Opaque SES-BWS218-3FT-OPAQUE #11019-3 ● #11019-4 ○</p>	 <p>3ft Rainy Cover SES-BWS218-3FT-COV #41019-A</p>	 <p>6ft BWS218, Opaque SES-BWS218-6FT-OPAQUE #11020-3 ● #11020-4 ○</p>	 <p>6ft Rainy Cover SES-BWS218-6FT-COV #41020-A</p>
 <p>3ft BWS316, Opaque SES-BWS316-3FT-OPAQUE #11005-3 ● #11005-4 ○</p>	 <p>6ft BWS316, Opaque SES-BWS316-6FT-OPAQUE #11006-3 ● #11006-4 ○</p>		


EASY AS 1. 2. 3.

Installation can be done **in minutes** with the quick-mount back plate.




Step one

Anchor the expansion bolts in the wall and secure the back plate to the bolts.



Step two

Make sure the tube light(s) are secured and connect the wiring with twist connectors.



Step three

Attach the cover and lens to the back plate by inserting screws into both sides.

