







2626 & 3875 PROFILES



ENVISION

LINEAR PROFILE EXTRUSIONS





ENVISION PROFILES UNMATCHED VERSATILITY

The adaptability of our linear aluminum profiles are only matched by their quality and production speed. These lighting systems are booming in popularity as home and office owners hunt for futuristic recessed accent light elements and fixtures.


ENVISION is far more than just accent lighting.

Create a strip of light that is recessed, surface mounted, or suspended. One run can stretch along the floor, then climb up a wall, and span across the ceiling with angled or intersecting pieces. When suspended, two models provide task lighting from one direction and accent light from the other.

Get custom linear extrusions:


- Sleek and trendy form factor, highly adaptable
- Design and assemble fixtures extremely quickly
- 6063-T5 aluminum maximizes LED lifespan
- PMMA and PC lenses: high clarity, no hotspots

1.




Pick a location and plan your mount type.

2.




Take measurements and record notes.

3.



Draw a basic layout for your design idea.

4.




Choose a profile that fits your application.






1001 PROFILE

1001




Surface & Suspended
Direct

5075




Surface & Suspended
Direct | Indirect

3875




Suspended
Direct | Indirect

7532



Recessed
Direct


5032



Recessed
Direct




5319




Recessed
Accent

5615




Recessed
Accent

5312




Recessed
Accent

2626



Recessed
Accent

2711



Recessed
Accent




1001 Profile Surface & Suspended



2,195lm 12.8W/ft ↓

3875 Suspended



1,250lm 7.7W/ft ↓ | ↑ 1,250lm 7.7W/ft

5075 Surface & Suspended



1,250lm 7.7W/ft ↓ | ↑ 655lm 3.8W/ft

5032 Profile Recessed Task Light



1,520lm 11W/ft ↓

7532 Recessed Task Light



1,850lm 11W/ft ↓

5312 Profile Recessed Accent Light



175lm 2.2W/ft ↓

5615 Profile Recessed Accent Light



760lm 5.5W/ft ↓

5319 Recessed Accent Light



760lm 5.5W/ft ↓



2626 Recessed Floor Light



760lm 5.5W/ft ↓

2711 Recessed Floor Light



760lm 5.5W/ft ↓

ITEM	NAME	ITEM	NAME	ITEM	NAME	ITEM	NAME
12502	1001 Linear Profile	12501	3875 Linear Profile	12506	5319 Linear Profile	12500	5075 Linear Profile
12502-G	1001 Gear Tray	12501-F	3875 Direct Gear Tray	12506-A	5319 End Caps	12500-H	5075 Gear Tray
12502-A	1001 End Caps	12501-G	3875 Indirect Gear Tray	12506-B	5319 Frosted Lens	12500-A	5075 End Caps
12502-H	1001 Frosted Lens	12501-A	3875 End Caps	40662-F	CCT Remote	12500-I	5075 Frosted Direct Lens
12652	65W Internal Driver	12501-H	3875 Frosted Lens	40662-A	30W External Driver	12651	23W Internal Driver
12502-F	180° Connectors	12651	23W Internal Driver	40662-B	60W External Driver	12650	44W Internal Driver
12502-I	90° Connectors	12650	44W Internal Driver	40662-C	96W External Driver	12500-F	180° Connectors
12502-J	X Module	12501-J	X Module	12508	5615 Linear Profile	12500-O	5075 Frosted Indirect Lens
12502-K	T Module	12501-K	T Module	12508-A	5615 End Caps	12500-L	T Module
12502-L	L Module	12501-L	L Module	12508-B	5615 Frosted Lens	12500-M	L Module
12502-E	6.5' Suspension Kit	12501-E	180° Connectors	40662-F	CCT Remote	12500-K	X Module
12500-G	Suspension Ring	12501-I	90° Connectors	40662-A	30W External Driver	12500-J	90° Connectors
12502-D	Surface Mount	12501-D	6.5' Suspension Kit	40662-B	60W External Driver	12500-D	Surface Mount
12502-B	Inner Clip Kit	12500-G	Suspension Ring	40662-C	96W External Driver	12500-B	Inner Clip Kit
12502-C	Safety Cable	12501-B	Inner Clip Kit	12507	5312 Linear Profile	12500-C	Safety Cable
12503	5032 Linear Profile	12501-C	Safety Cable	12507-B	5312 Gear Tray	12500-G	Suspension Ring
12503-A	5032 End Caps	12509	7532 Linear Profile	12507-A	5312 End Caps	12500-N	3M Tape
12503-D	5032 Frosted Lens	12509-A	7532 End Caps	12507-C	5312 Frosted Lens	12500-E	6.5' Suspension Kit
40662-F	CCT Remote	12509-C	7532 Frosted Lens	40662-A	30W External Driver	12510	2711 Linear Profile
40662-A	30W External Driver	12653	69W External Driver	40662-B	60W External Driver	12510-A	2711 End Caps
40662-B	60W External Driver	12509-B	Spring Clip Set	40662-C	96W External Driver	12510-B	2711 Frosted Lens
40662-C	180° Connectors	12500-N	3M Tape	12505	2626 Linear Profile	40662-F	CCT Remote
12503-C	Spring Clip Set			12505-A	2626 End Caps	40662-A	30W External Driver
12503-B				12505-B	2626 Frosted Lens	40662-B	60W External Driver
				40662-F	CCT Remote	40662-C	96W External Driver
				40662-A	30W External Driver	12510-C	Mounting Clip
				40662-B	60W External Driver		
				40662-C	96W External Driver		

Images are meant as an example, size and color may vary slightly from the actual product.