



M³ INSPIRATION


MODERN. MAGNETIC. MODULAR.

Luxury Pendant Collection

MODULAR innovative design

Magnet system

A variety of accessories give you the freedom to assemble a fixture with a multitude of shapes and wattages.



Magnet design

The light modules attach magnetically, which can be assembled in different shapes according to your needs.

Aluminum lamp body

The Inspiration Series is made of high-quality aluminum with a modern and luxurious appearance.

Modular design

All fixtures in the Inspiration Series are modular in design to allow resellers to carry less inventory.



LIGHT MODULES

Cone Module A



5W
CRI>90

Cone Module B



5W
CRI>90

Orb Module C



5W
CRI>90

Cylinder Module D



5W
CRI>90

Cylinder Module E



5W
CRI>90

Track Head Module F



5W
CRI>90
Anti-glare

Lamp Module G



5W
CRI>90

Orb Module H



5W
CRI>90

Bar Module I



10W
CRI>90

Cone Module J



5W
CRI>90

Lamp Module K



8W
CRI>90

Bar Module L



15W
CRI>90

Disk Module M



15W
CRI>90

Disk Module N



15W
CRI>90

Club Module O



6W
CRI>90

Club Module P



6W
CRI>90

Tube Module Q



38W
CRI>90

Track Head Module R



5W
CRI>90
DALI

Bar Module S



15W
CRI>90
DALI

Lamp Module U



5W
CRI>90

Lamp Module V



5W
CRI>90






Matrix Pendant

Cylinder Module D




Matrix Base 60 x 60"



Matrix Pipe A 28"




Matrix Pipe B 12"




Matrix Pipe A 12"




Installation View




(A) Cylinder Module D magnetic quick installation




(B) Matrix Pipe B upper mounting method





(C) Matrix Pipe A and B lower installation method




(D) Bottom cover rubber plug installation









Horizon Pendant

Horizon Base 80"






Cylinder Module D
















Matrix Pendant

Track Head Module F



Bar Module L




Matrix Kit 32 x 80"





DALI options available

Free design



Matrix Kit (DALI) - 32 x 80"



Track Head Module R




Bar Module S




DALI

Thanks to the advancement of technology, we have expanded our development and research of intelligent lighting systems. Our luminaires have since reached an advanced level of functionality. With a smart dimming app you can easily turn the fixtures on and off, as well as control the brightness and other functions that facilitate your lighting requirements.




Installation diagram

Input:
AC100-220V




Single light, single control



DALI SWITCH





Round Adaptive Pendant

Cone Module B



Round Adaptive Pendant 24"






Installation View












Three-Tiered Adaptive Pendant

Orb Module H




Three-Tiered Adaptive Pendant 40"










Square Adaptive Pendant

Orb Module C





Square Adaptive Pendant 32"






Installation View









Linear Adaptive Pendant

Cone Module A



Cone Module B



Orb Module C




Linear Adaptive Pendant 48"













Installation View













Tube Module Q

Adjustable rotation and movement









Adaptive Floor & Table Lamp

Cone Module J




Table Lamp Base



Floor Lamp Base







Adaptive Pendant


Cone Module J





Adaptive Pendant



Installation View









M3-ADAPTIVE-4-32





M3-ADAPTIVE-3-32




M3-ADAPTIVE-2-32

Cone Module A - 5W SES-M3-A-5-CCT



Power	5W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	300 lm
CRI	>90
Material	Aluminum+PC
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years


LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
1.5	9	29	427
2	5	16	569
4	1.2	4	1137
4.5	1	3	1280
6	0.6	2	1706


4W 176lm Ra:91

Cone Module B - 5W SES-M3-B-5-CCT-ANG



Power	5W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	600 lm
CRI	>90
Material	Aluminum+Glass
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years


LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
1.5	364	519	73
2	205	292	97
4	51	73	194
4.5	40	58	218
6	23	32	290

7W 534lm Ra:97



LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
1.5	237	359	106
2	134	202	141
4	33	50	283
4.5	26	40	318
6	15	22	424

7W 500lm Ra:96


Orb Module C - 5W SES-M3-C-5-CCT



Power	5W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	300 lm
CRI	>90
Material	Aluminum+Glass
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years




● **LED 3000K**
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
106.7°			
1.5	8	24	403
2	4	13	538
4	1	3.3	1075
4.5	0.9	2.6	1210
6	0.5	1.5	1613

4W 178lm Ra:96


Cylinder Module D - 5W SES-M3-D-5-CCT



Power	5W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	300 lm
CRI	>90
Material	Aluminum+PMMA
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years






● **LED 3000K**
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
101°			
1.5	7	18	364
2	4	10	485
4	1	2.5	971
4.5	0.8	2	1092
6	0.4	1.1	1456


5W 165lm Ra:95

Cylinder Module E - 5W SES-M3-E-5-CCT-ANG




Power	5W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	600 lm
CRI	>90
Material	Aluminum+Glass
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years




LED 3000K
CODE:AA8888888



LED 3000K
CODE:AA8888888




Track Head Module F - 5W SES-M3-F-5-CCT-ANG





Power	5W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	600 lm
CRI	>90
Material	Aluminum
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years

LED 3000K
CODE:AA8888888




Lamp Module G - 5W SES-M3-G-5-CCT



Power	5W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	300 lm
CRI	>90
Material	Aluminum+Glass
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years



LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
106.7°			
1.5	8	24	403
2	4	13	538
4	1	3.3	1075
4.5	0.9	2.6	1210
6	0.5	1.5	1613


4W 178lm Ra:96

Orb Module H - 5W SES-M3-H-5-CCT



Power	5W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	500 lm
CRI	>90
Material	Aluminum+Glass
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years




LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
106.7°			
1.5	8	24	403
2	4	13	538
4	1	3.3	1075
4.5	0.9	2.6	1210
6	0.5	1.5	1613


4W 178lm Ra:96

Bar Module I - 10W SES-M3-I-10-CCT



- Power** 10W
- CCT** 3000K ● 4000K ● 6500K ○
- Voltage** DC 24V
- Output Lumens** 700 lm
- CRI** >90
- Material** Aluminum+PS
- Color** Copper / White / Black
- Life** 50 000 H
- Warranty** 5 Years


LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
112.5°			
1.5	30	101	449
2	17	57	599
4	4	14	1198
4.5	3	11	1347
6	2	6	1797


14W 656lm Ra:79

Cone Module J - 5W SES-M3-J-5-CCT



- Power** 5W
- CCT** 3000K ● 4000K ● 6500K ○
- Voltage** DC 24V
- Output Lumens** 300 lm
- CRI** >90
- Material** Aluminum+Glass
- Color** Copper / White / Black
- Life** 50 000 H
- Warranty** 5 Years




LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
106.7°			
1.5	8	24	403
2	4	13	538
4	1	3.3	1075
4.5	0.9	2.6	1210
6	0.5	1.5	1613


4W 178lm Ra:96

Lamp Module K - 8W SES-M3-K-8-CCT



Power	8W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	400 lm
CRI	>90
Material	Aluminum+Glass
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years



LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
94.9°			
1.5	7	19	327
2	4	11	436
4	1	3	872
4.5	0.8	2	981
6	0.5	1	1308


5W 246lm Ra:92

Bar Module L - 15W SES-M3-L-15-CCT



Power	15W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	1100 lm
CRI	>90
Material	Aluminum+PS
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years



LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
94.9°			
1.5	81	171	297
2	46	96	396
4	11	24	791
4.5	9	19	890
6	5	11	1187



16W 983lm Ra:83

Disk Module M - 15W SES-M3-M-15-CCT





Power	15W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	1100 lm
CRI	>90
Material	Aluminum+PS
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years

Disk Module N - 15W SES-M3-N-15-CCT





Power	15W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	1100 lm
CRI	>90
Material	Aluminum+PS
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years

Club Module O - 6W SES-M3-O-6-CCT





Power	6W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	300 lm
CRI	>90
Material	Aluminum+PS
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years

Club Module P - 6W SES-M3-P-6-CCT



Power	6W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	300 lm
CRI	>90
Material	Aluminum+PS
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years




Tube Module Q - 38W SES-M3-Q-38-CCT




Power	38W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	2660 lm
CRI	>80
Material	Aluminum
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years




Track Head Module R (DALI) - 5W SES-M3-R-5-CCT-ANG



Power	5W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 48V
Output Lumens	600 lm
CRI	>90
Material	Aluminum
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years
Compatibility	32 x 80" DALI Matrix Kit




 **LED 3000K**
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
33.3°			
1.5	423	628	90
2	238	353	119
4	59	88	239
4.5	47	70	269
6	26	39	358


7W 532lm Ra:96

Bar Module S (DALI) - 15W SES-M3-S-15-CCT



Power	15W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 48V
Output Lumens	1100 lm
CRI	>90
Material	Aluminum+PS
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years
Compatibility	32 x 80" DALI Matrix Kit




 **LED 3000K**
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
94.9°			
1.5	81	171	297
2	46	96	396
4	11	24	791
4.5	9	19	890
6	5	11	1187



16W 983lm Ra:83

Classical Lamp Module U - 5W SES-M3-U-5-CCT




Power	5W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	300 lm
CRI	>80
Material	Aluminum+Glass
Color	Copper
Life	30 000 H
Warranty	3 Years
Compatibility	Classical Matrix & Adaptive Kits

Classical Lamp Module V - 5W SES-M3-V-5-CCT





Power	5W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	300 lm
CRI	>80
Material	Aluminum+Glass
Color	Copper
Life	30 000 H
Warranty	3 Years
Compatibility	Classical Matrix & Adaptive Kits

Classical Adaptive Kit - 40" SES-M3-C-ADAPTIVE-KIT-40





Driver	100W (Included)
Max. Watts	80W
Material	Aluminum
Finish	Copper
Compatibility	Classical Lamp Module U & V

Classical Matrix Kit - 60 x 60" SES-M3-C-MATRIX-KIT-60X60






Driver	100W (Included)
Max. Watts	80W
Material	Aluminum
Finish	Copper
Compatibility	Classical Lamp Module U & V

Horizon Base - 60" SES-M3-HORIZON-60





Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Horizon Base - 80" SES-M3-HORIZON-80






Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Matrix Base - 32 x 32" SES-M3-MATRIX-32X32





Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Matrix Base - 60 x 60" SES-M3-MATRIX-60X60




Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Matrix Pipe A - 12" SES-M3-MATRIX-PIPE-A-12




Material Aluminum
Finish Copper / White / Black
Use Ceiling Mount

Matrix Pipe A - 28" SES-M3-MATRIX-PIPE-A-28





Material Aluminum
Finish Copper / White / Black
Use Ceiling Mount

Matrix Pipe B - 12" SES-M3-MATRIX-PIPE-B-12




Material Aluminum
Finish Copper / White / Black
Use Base Connection

Matrix Kit - 32 x 80" SES-M3-MATRIX-32X80




Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Matrix Kit (DALI) - 32 x 80" SES-M3-MATRIX-32X80-DALI




Driver 100W / 150W (48V)
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black
Compatibility Track Head Module R, Bar Module S

Adaptive Pendant - 32" SES-M3-ADAPTIVE-3-32




Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Round Adaptive Pendant - 24" SES-M3-ADAPTIVE-R-24




Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Round Adaptive Pendant - 32" SES-M3-ADAPTIVE-R-32





Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Three-Tiered Adaptive Pendant - 40" SES-M3-ADAPTIVE-3T-40




Driver 100W / 150aW /
Max. Watts 350W 80W / 120W /
Material 280W Aluminum
Finish Copper / White / Black

Two-Tiered Adaptive Pendant - 40" SES-M3-ADAPTIVE-2T-40




Driver 100W / 150W / 200W
Max. Watts 80W / 120W / 160W
Material Aluminum
Finish Copper / White / Black

Two-Tiered Adaptive Pendant - 32" SES-M3-ADAPTIVE-2T-32




Driver 100W / 150W / 200W
Max. Watts 80W / 120W / 160W
Material Aluminum
Finish Copper / White / Black

Adaptive Ring - 24" SES-M3-ADAPTIVE-RING-24




Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Adaptive Ring - 32" SES-M3-ADAPTIVE-RING-32






Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Adaptive Ring - 40" SES-M3-ADAPTIVE-RING-40






Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Square Adaptive Pendant - 24" SES-M3-ADAPTIVE-S-24




Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Square Adaptive Pendant - 32" SES-M3-ADAPTIVE-S-32





Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Adaptive Base - 12" SES-M3-ADAPTIVE-BASE-12





Material Aluminum
Finish Copper / White / Black
Use Ceiling Mount, Holds Driver

Adaptive Base - 28" SES-M3-ADAPTIVE-BASE-28





Material Aluminum
Finish Copper / White / Black
Use Ceiling Mount, Holds Driver

Adaptive Rail A (Lower) - 40" SES-M3-ADAPTIVE-RAIL-A-40





Material Aluminum
Finish Copper / White / Black
Use Connects to Adaptive Base

Adaptive Rail B (Upper) - 40" SES-M3-ADAPTIVE-RAIL-B-40





Material Aluminum
Finish Copper / White / Black
Use Connects to Adaptive Rail A

Adaptive Rail C (End) - 40" SES-M3-ADAPTIVE-RAIL-C-40





Material Aluminum
Finish Copper / White / Black
Use Connects to Adaptive Rail A

Connector SES-M3-CONNECTOR





Material Aluminum
Finish Copper / White / Black
Use Connects Rails Horizontally

Adaptive Pipe A - 12" SES-M3-ADAPTIVE-PIPE-A-12





Material Aluminum
Finish Copper / White / Black
Use Ceiling Mount at Intersections

Adaptive Pipe A - 28" SES-M3-ADAPTIVE-PIPE-A-28





Material Aluminum
Finish Copper / White / Black
Use Ceiling Mount at Intersections

Adaptive End Pipe B (Long) - 12" SES-M3-ADAPTIVE-PIPE-B-12-L





Material Aluminum
Finish Copper / White / Black
Use Ceiling Mount for Rail A

Adaptive End Pipe B (Short) - 12" SES-M3-ADAPTIVE-PIPE-B-12-S





Material Aluminum
Finish Copper / White / Black
Use Ceiling Mount for Rail C

Adaptive End Pipe B (Long) - 28" SES-M3-ADAPTIVE-PIPE-B-28-L






Material Aluminum
Finish Copper / White / Black
Use Ceiling Mount for Rail A

Adaptive End Pipe B (Short) - 28" SES-M3-ADAPTIVE-PIPE-B-28-S




Material Aluminum
Finish Copper / White / Black
Use Ceiling Mount for Rail C

Linear Adaptive Kit - 40" SES-M3-ADAPTIVE-KIT-40




Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Linear Adaptive Kit - 48" SES-M3-ADAPTIVE-KIT-48





Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Linear Adaptive Kit - 60" SES-M3-ADAPTIVE-KIT-60






Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Linear Adaptive Kit - 80" SES-M3-ADAPTIVE-KIT-80






Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Linear Adaptive Kit - 2 x 40" SES-M3-ADAPTIVE-KIT-2X40





Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Linear Adaptive Kit - 3 x 40" SES-M3-ADAPTIVE-KIT-3X40





Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Linear Adaptive Kit - 4 x 40" SES-M3-ADAPTIVE-KIT-4X40




Driver 100W / 150W
Max. Watts 80W / 120W
Material Aluminum
Finish Copper / White / Black

Table Lamp Base - 24" SES-M3-TL





Max. Watts 18W
Material Aluminum
Finish Copper / White / Black

Floor Lamp Base - 5.6' SES-M3-FL





Max. Watts 20W
Material Aluminum
Finish Copper / White / Black

MEAN WELL Driver - 100W 24V SES-M3-DRIVER-100-24





Power	100W
Voltage	24V
Max. Watts	80W
Dimming	0-10V, PWM, Resistance

MEAN WELL Driver - 150W 24V SES-M3-DRIVER-150-24





Power	150W
Voltage	24V
Max. Watts	120W
Dimming	0-10V, PWM, Resistance

MEAN WELL Driver (DALI) - 100W 48V SES-M3-DRIVER-100-48-DALI



Power	100W
Voltage	48V
Max. Watts	80W
Dimming	DALI

MEAN WELL Driver (DALI) - 150W 48V SES-M3-DRIVER-150-48-DALI





Power	150W
Voltage	48V
Max. Watts	120W
Dimming	DALI



EXAMPLES FOR INSPIRATION





6-Piece Round Adaptive Pendant - 24"





Power	30W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50/60Hz
Output Lumens	1500 lm
CRI	>90
Material	Aluminum
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years

8-Piece Round Adaptive Pendant - 32"





Power	40W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50/60Hz
Output Lumens	2000 lm
CRI	>90
Material	Aluminum
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years

6-Piece Square Adaptive Pendant - 24"






Power	30W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50/60Hz
Output Lumens	1500 lm
CRI	>90
Material	Aluminum
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years

8-Piece Square Adaptive Pendant - 32"






Power	40W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50/60Hz
Output Lumens	2000 lm
CRI	>90
Material	Aluminum
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years

3-Piece Linear Adaptive Pendant - 40"





Power	15W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50/60Hz
Output Lumens	750 lm
CRI	>90
Material	Aluminum
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years

6-Piece Linear Adaptive Pendant - 2 x 40"





Power	30W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50/60Hz
Output Lumens	1500 lm
CRI	>90
Material	Aluminum
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years

9-Piece Linear Adaptive Pendant - 3 x 40"






Power	45W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50/60Hz
Output Lumens	2250 lm
CRI	>90
Material	Aluminum
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years

12-Piece Linear Adaptive Pendant - 4 x 40"






Power	60W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50/60Hz
Output Lumens	3000 lm
CRI	>90
Material	Aluminum
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years

4-Piece Adaptive Pendant - 32"






Power	20W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50/60Hz
Output Lumens	1000 lm
CRI	>90
Material	Aluminum+Glass
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years

6-Piece Adaptive Pendant - 32"



Power	30W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50/60Hz
Output Lumens	1500 lm
CRI	>90
Material	Aluminum+Glass
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years

8-Piece Adaptive Pendant - 32"



Power	40W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50/60Hz
Output Lumens	2000 lm
CRI	>90
Material	Aluminum+Glass
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years



☎ 855-997-2746

📠 888-671-4872

✉ LED@SARINEnergy.com

🌐 SARINEnergy.com