



REFLECT


LED VANITY MIRRORS





Features:

- Capacitive screen, supports 10 point touch, 1920*1080 resolution display
- Android 6.0, support wifi, online video and music
- High speed USB2.0 transmission
- Supports Bluetooth 4
- Supports MP3, AAC, WAV and other music formats
- Supports AVI, 3GP, MP4, MOV, MKV and other video formats, the highest reach to 1080P
- Supports JPG, BMP, JPEG, GIF, etc. image formats
- Built-in stereo speakers
- Supports Chinese, English, etc
- Built-in voice capture chip can achieve one meter long distance voice interaction and recording function
- Uses infrared sensor technology, intelligent induction to 2 meters long-distance movement of the human body, to achieve automatic wake-up function, recognition angle can up to 180°
- Fully enclosed design, IP65



SES-6080D-P1

Width	Height	Depth
35.4"	27.6"	1.2"
23.6"	31.5"	1.2"

Custom Sizes Available






SES-3636S-K-P4

Features:

- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Digital display-Temperature, Time and date
- Bluetooth Connectivity
- Integrated speakers
- Shaver socket
- Heating Pad
- Touch switch




Width	Height	Depth
19.7"	27.6"	2.2"
23.6"	31.5"	2.2"
35.4"	27.6"	2.2"
47.2"	23.6"	2.2"

Custom Sizes Available





SES-2432R-P6



Features:


- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic Diffused LED light
- Heating Pad
- Touch Switch

Custom Sizes Available





SES-3636S




Features:

- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused frame lighting
- Heating Pad
- Touch switch

Width	Height	Depth
19.7"	27.6"	4.3"
23.6"	31.5"	4.3"
47.2"	31.5"	4.3"

Custom Sizes Available






SES-1010R-P10

Features:


- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating Pad
- Touch Switch



Diameter	Depth
23.6"	1.2"
27.6"	1.2"
31.5"	1.2"
39.4"	1.2"
47.2"	1.2"

Custom Sizes Available





SES-36L-P12


Features:

- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating Pad
- Touch Switch

Diameter	Depth
23.6"	1.2"
27.6"	1.2"
31.5"	1.2"
39.4"	1.2"
47.2"	1.2"

Custom Sizes Available






SES-1280-P14

Features:


- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating Pad
- IR Sensor Switch




Width	Height	Depth
31.5"	21.7"	1.2"
47.2"	31.5"	1.2"

Custom Sizes Available





SES-3636S-NF




Features:

- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED light
- Heating Pad
- Touch Switch

Width	Height	Depth
15.8"	27.6"	1.2"
23.6"	27.6"	1.2"
31.5"	27.6"	1.2"
39.4"	27.6"	1.2"
47.2"	27.6"	1.2"
55.1"	27.6"	1.2"
62.9"	27.6"	1.2"

Oval, Round, and Custom Sizes Available






SES-3636S-F

Features:

- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating Pad
- Touch switch



Width	Height	Depth
23.6"	27.6"	1.2"
31.5"	27.6"	0.9"
39.4"	27.6"	0.9"
43.3"	27.6"	0.9"
55.1"	27.6"	0.9"

Custom Sizes Available






SES-3636S-S

Features:

- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Wireless charger
- Teethbrush charger
- Heating Pad
- Touch switch
- IP44 Rating



Width	Height	Depth
19.7"	27.6"	1.2"
23.6"	27.6"	1.2"
31.5"	27.6"	1.2"
39.4"	27.6"	1.2"
47.2"	27.6"	1.2"

Custom Sizes Available






SES-9090R-P22

Features:


- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Integrated magnifying mirror
- Heating Pad
- Touch switch
- IP44 Rating



Diameter	Depth
23.6"	1.2"
31.5"	1.2"
35.4"	1.2"

Custom Sizes Available







Matte Black-MB




Matte White-MW



Matte Gold-MG




Rose Gold-RG



SES-1212R-24

Features:

- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Aluminum frame in powder coating finish
- Heating Pad
- Touch Switch
- IP44 rating



Diameter	Depth	Frame Finish
23.6"	1.6"	Matte Black-MB
31.5"	1.6"	Matte White-MW
31.5"	1.6"	Matte Gold-MG
47.2"	1.6"	Rose Gold-RG


Custom Sizes Available



SES-2432D-B


Features:

- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Stainless Steel frame in powder coating finish
- Heating Pad
- Touch Switch
- IP44 rating



Width	Height	Depth
19.7"	35.4"	4.9"
23.6"	39.4"	4.9"


Custom Sizes Available



SES-2432D

Features:

- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Stainless Steel frame in powder coating finish
- Heating Pad
- Touch Switch
- IP44 rating



Width	Height	Depth
19.7"	35.4"	4.9"
23.6"	39.4"	4.9"

Custom Sizes Available






SES-36R-P28

Features:

- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Aluminum frame in Matte Black
- Heating Pad
- Touch Switch
- IP44 rating



Width	Height	Depth
23.6"	34.8"	1.3"
31.5"	39.4"	1.3"

Custom Sizes Available



Aged Brass & Antique Bronze



Brushed Pewter & Iron Black




Aged Brass & Polished
Stainless Steel



Brass & Polished Stainless Steel



SES-3636S-P30



Features:

- Copper-free mirror with safety film back
- Antique designed Stainless Steel frame PVD finish

Width	Height	Depth
19.7"	27.6"	1.3"
23.6"	31.5"	1.3"
39.4"	27.6"	1.3"
47.2"	27.6"	1.3"

Custom Sizes Available



Antique Bronze



Iron Black



Polished Stainless Steel




Brass



SES-3636S-P32

Features:




- Copper-free mirror with safety film back
- Antique designed Stainless Steel frame PVD finish
- LED color temperature changing 2700-6500K
- Heating Pad
- Sensor switch
- IP44 rating



Width	Height	Depth
19.7"	27.6"	1.3"
23.6"	31.5"	1.3"
39.4"	27.6"	1.3"
47.2"	27.6"	1.3"

Custom Sizes Available






Features:

- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Aluminum frame in powder coated finish
- Heating Pad
- Touch Switch
- IP44 rating

SES-3636D-P34



Width	Height	Depth	Frame Finish
19.7"	27.6"	1.3"	Matte Black-MB
23.6"	27.6"	1.3"	Matte White-MW
31.5"	27.6"	1.3"	Matte Gold-MG
39.4"	27.6"	1.3"	Rose Gold-RG
47.2"	27.6"	1.3"	
55.1"	27.6"	1.3"	

Custom Sizes Available






SES-3636S-P36

Features:


- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Aluminum frame in powder coating finish
- Heating Pad
- Touch Switch
- IP44 rating



Width	Height	Depth	Frame Finish
19.7"	27.6"	1.7"	Matte Black-MB
23.6"	31.5"	1.7"	Matte White-MW
31.5"	27.6"	1.7"	Matte Gold-MG
47.2"	27.6"	1.7"	Rose Gold-RG
55.1"	27.6"	1.7"	

Custom Sizes Available







Matte Black-MB




Matte White-MW



Matte Gold-MG




Rose Gold-RG



SES-3636D-P38

Features:





- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Aluminum frame in powder coating finish
- Heating Pad
- Touch Switch
- IP44 rating



Width	Height	Depth	Frame Finish
19.7"	27.6"	1.6"	Matte Black-MB
23.6"	27.6"	1.6"	Matte White-MW
31.5"	27.6"	1.6"	Matte Gold-MG
39.4"	27.6"	1.6"	Rose Gold-RG
43.3"	27.6"	1.6"	
55.1"	27.6"	1.6"	

Custom Sizes Available





SES-5010U-P40

Features:

- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Aluminum frame in powder coating finish
- Heating Pad
- Touch Switch
- IP44 rating


Width	Height	Depth	Frame Finish
15.7"	31.5"	2"	Matte Black-MB
17.7"	35.4"	2"	Matte White-MW
			Matte Gold-MG
			Rose Gold-RG

Custom Sizes Available





SES-6090V



Rose Gold-RG



Matte White-MW



Matte Gold-MG




Matte Black-MB

Features:

- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Aluminum frame in powder coating finish
- Heating Pad
- Touch Switch
- IP44 rating

Width	Height	Depth	Frame Finish
19.7"	27.6"	1.3"	Matte Black-MB Matte White-MW Matte Gold-MG Rose Gold-RG
23.6"	35.4"	1.3"	


Custom Sizes Available



SES-3636L-P43-V


Features:

- Copper-free mirror with safety film back
- LED color temperature changing 2700-6500K
- Stainless Steel frame in powder coating finish
- Heating Pad
- Touch Switch
- IP44 rating




Width	Height	Depth
19.7"	27.6"	1.3"
23.6"	27.6"	1.3"
31.5"	27.6"	1.3"
39.4"	27.6"	1.3"
47.2	27.6"	1.3"

Custom Sizes Available




Width	Height	Depth
19.7"	27.6"	1.3"
23.6"	27.6"	1.3"
31.5"	27.6"	1.3"
39.4"	27.6"	1.3"
47.2	27.6"	1.3"

Custom Sizes Available



Width	Height	Depth
19.7"	27.6"	1.3"
23.6"	27.6"	1.3"
31.5"	27.6"	1.3"
39.4"	27.6"	1.3"
47.2	27.6"	1.3"

Custom Sizes Available



SES-3636L-P43-H




SES-3636L-P43






SES-MLOVAL



SES-MLOVAL-R



Features:

- Copper-free silver mirror with Anti-corrosion treatment
- 2835 SMD LED, 90-100lm/W CRI: 80+/90+
- Color Temperatures: 3000K-4000K-5000K-6000K
- Round / Oval shape
- TUV / UL LED driver
- IP44 / Damp location


Width	Height	Depth
19.7"	27.6"	1.3"
23.6"	27.6"	1.3"
31.5"	27.6"	1.3"
39.4"	27.6"	1.3"
47.2"	27.6"	1.3"

Custom Sizes Available






SES-8070S-P48-O



SES-8070S-P48



Features:

- Copper-free silver mirror Anti-corrosion treatment
- 2835 SMD LED, 90-100lm/W CRI: 80+/90+
- Color temperatures: 3000K-4000K-5000K-6000K
- Round / Oval shape
- TUV / UL LED driver
- IP44 / Damp location

Width	Height	Depth
19.7"	27.6"	1.3"
23.6"	27.6"	1.3"
31.5"	27.6"	1.3"
39.4"	27.6"	1.3"
47.2"	27.6"	1.3"

Custom Sizes Available







SES-6070S-P50



SES-6070S-P50-I



Features:

- Copper-free silver mirror Anti-corrosion treatment
- 2835 SMD LED, 90-100lm/W CRI: 80+/90+
- Color temperatures: 3000K-4000K-5000K-6000K
- Aluminium frame
- TUV / UL LED driver
- IP44 / Damp location

Width	Height	Depth
197."	19.7"	1.3"
27.6"	27.6"	1.3"

Custom Sizes Available




SES-1070S-P52-H2



SES-1070S-P52-H




SES-1070S-P52-V



SES-1070S-P52-V2



SES-1070S-P52



Features:

- Copper-free silver mirror Anti-corrosion treatment
- 2835 SMD LED, 90-100lm/W CRI: 80+/90+
- Color temperatures: 3000K-4000K-5000K-6000K
- Aluminium frame
- TUV / UL LED driver
- IP44 / Damp location

Width	Height	Depth
19.7"	27.6"	1.3"
23.6"	27.6"	1.3"
31.5"	27.6"	1.3"
39.4"	27.6"	1.3"

Custom Sizes Available





SES-3152L-E



SES-3152L

Features:

- Copper-free silver mirror Anti-corrosion treatment
- 2835 SMD LED, 90-100lm/W CRI: 80+/90+
- Color temperatures: 3000K-4000K-5000K-6000K
- Aluminum / Steel chassis
- UL LED driver
- Damp location

Width	Height	Depth
19.7"	27.6"	1.3"
23.6"	27.6"	1.3"

Custom Sizes Available






SES-6070-P56

Features:

- Copper-free silver mirror Anti-corrosion treatment
- 2835 SMD LED, 90-100lm/W CRI: 80+/90+
- Color temperatures: 3000K-4000K-5000K-6000K
- Aluminium / Steel chassis
- UL LED driver
- Damp location




Width	Height	Depth
19.7"	19.7"	1.3"
23.6"	27.6"	1.3"

Custom Sizes Available






SES-9270S-P58



SES-9270S-P58-H




SES-9270S-P58-V

Width	Height	Depth
19.7"	19.7"	1.3"
27.6"	23.6"	1.3"
35.4"	27.6"	1.3"
39.4"	31.5"	1.3"

Custom Sizes Available


Features:

- Copper-free silver mirror Anti-corrosion treatment
- 2835 SMD LED, 90-100lm/W CRI: 80+/90+
- Color temperatures: 3000K-4000K-5000K-6000K
- Aluminium / Steel chassis
- UL LED driver
- Damp location





SES-6070S-P60



Features:

- Copper-free silver mirror Anti-corrosion treatment
- 2835 SMD LED, 90-100lm/W CRI: 80+/90+
- Color temperatures: 3000K-4000K-5000K-6000K
- Aluminium chassis
- TUV / UL LED driver
- IP44 / Damp

Width	Height	Depth
60"	15.7"	1.3"
65"	19.7"	1.3"

Custom Sizes Available






SES-6070S-P62-RW




SES-6070S-P62-RB



SES-6070S-P62-W



SES-6070S-P62-B




Features:

- Copper-free silver mirror Anti-corrosion treatment
- 2835 SMD LED, 90-100lm/W CRI: 80+/90+
- Color temperatures: 3000K-4000K-5000K-6000K
- Aluminium chassis
- TUV / UL LED driver
- IP44 / Damp

Width	Height	Depth
15.7"	47.2"	1.3"
15.7"	47.2"	1.3"
15.7"	47.2"	1.3"
15.7"	47.2"	1.3"

Custom Sizes Available





SES-S0053

Features:

- Copper-free silver mirror Anti-corrosion treatment
- 2835 SMD LED, 90-100lm/W CRI: 80+/90+
- Color temperatures: 3000K-4000K-5000K-6000K
- Aluminium chassis
- TUV / UL LED driver
- IP44 / Damp


Width	Height	Depth
19.7"	19.7"	1.3"
23.6"	27.6"	1.3"
31.5"	27.6"	1.3"
39.4"	27.6"	1.3"

Custom Sizes Available






SES-32R



SES-32R-V



Features:

- Copper-free silver mirror Anti-corrosion treatment
- 2835 SMD LED, 90-100lm/W CRI: 80+/90+
- Color temperatures: 3000K-4000K-5000K-6000K
- Aluminium chassis
- TUV / UL LED driver
- IP44 / Damp

Width	Height	Depth
19.7"	19.7"	1.3"
27.6"	27.6"	1.3"

Custom Sizes Available






SES-3121-P68




SES-3121-P68-R




SES-3121-P68-V



H



H



H

W

W

W

Features:

- Copper-free silver mirror Anti-corrosion treatment
- 2835 SMD LED, 90-100lm/W CRI: 80+/90+
- Color temperatures: 3000K-4000K-5000K-6000K
- Aluminium chassis
- TUV / UL LED driver
- IP44 / Damp


Width	Height	Depth
19.7"	27.6"	1.3"
23.6"	27.6"	1.3"
31.5"	35.4"	1.3"

Custom Sizes Available






SES-5100LW



SES-5100LB




Features:

- 5mm coated mirror
- Anti-corrosion treatment
- RGB LED Light
- 3D Effect
- IP44 / Damp location

Item Code	Width	Height	Depth
SES-5100LW	19.7"	19.7	1.3"
SES-5100LB	19.7"	31.5	1.3"

Custom Sizes Available






Features:

- 38-48W
- 120V
- 120°
- 90 CRI
- 4,200-7,200lm
- 3000K-5000K-6500K
- IP44
- Aluminum
- 35,000 Hours
- Defogger

Item Code	Width	Height	Depth
SES-ML02-2024-30	20"	24"	2"
SES-ML02-3036-38	30"	36"	2"
SES-ML02-3636-43	36"	36"	2"
SES-ML02-3640-48	36"	48"	2"

Custom Sizes Available







Features:

- 48-95W
- 100-240V
- 120°
- >80 CRI
- 6,480-7,920lm
- 3000K-6500K
- IP42
- Aluminum, Steel
- 50,000 Hours
- Defogger

Item Code	Width	Height	Depth
SES-ML01-3636-20-B-T-CRYSTAL	36"	36"	2"
SES-ML01-4836-20-B-T-CRYSTAL	48"	36"	2"
SES-ML01-3636-20-B-T	36"	36"	2"
SES-ML01-4836-20-B-T	48"	36"	2"
SES-ML01-3036-20-B-T	30"	36"	2"
SES-ML01-7238-20-B-T	72"	38"	2"

Custom Sizes Available





Features:

- ADA Compliant
- 29W
- 120V
- 120° Beam Angle
- >90
- 2900lm
- Steel, Glass
- 5° Fixed Angle Tilt
- Automatic Defogger
- Bright White 5000K Light
- Splash resistant with an IP44 rating
- Copper-Free, Anti-Corrosion
- Sensor or hardwire connection
- Safety-Backed, Anti-Shatter
- Frosted Lens
- Natural, Soft Light
- High Energy Efficiency

SES-ML04-2436-18-S

ADA Mirrors feature a fixed angle tilt and a side lit surface for a soft glow and an enhanced look. This mirror has a slight downward tilt from the wall that allows a person in a wheelchair to see their reflection in the mirror and meets ADA compliance requirements.

Width	Height	Depth
24"	36"	5"

Custom Sizes Available



sarinenergy.com